## Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the abovecaptioned application.

## **Listing of Claims:**

1. (currently amended) A centrifugal compressor unit of the type comprising:

a motor means (50) rotationally driving a rotor; (52) and

at least one compressor comprising:

a stator body; and

a set of impeller wheels (56) which are mounted on a driven shaft rotationally driven by the rotor in the stator body; the entity consisting of

wherein the motor and the or-each compressor is being mounted in a common housing (86) sealed against the gas handled by the compressor unit;

the compressor unit further comprising a set of active bearings (60, 62, 64, 66, 67) for axially and radially guiding the rotor on the driven shaft; and

cooling means for cooling the motor means and the guide bearings by tapping off some of the gas handled by the compressor at <u>anthe</u> outlet from a first compression stage (56), passing said the gas through the motor means (50) and through the bearings and

Inventors: Laboube et al. Intl. Appl. No.: PCT/FR03/0011063

Atty. Dkt. No.: 5310-08800

reinjecting the gas into the an inlet side of the a compressor, characterized in that wherein the cooling means comprises a set of internal passages (88, 92, 94, 104) for feeding the motor means and the bearings with cooling gas which are formed in the compressor unit, and wherein the flow of cooling gas in the motor means (50) being separate from the flow of cooling gas in the bearings (60, 62, 64, 66), and wherein the flow of cooling gas and convergesing upstream of the first compression stage.

- 2. (currently amended) The centrifugal compressor unit as claimed inof claim 1, characterized in that wherein the cooling means further comprises a set of external lines (80-1, 80-2, 80-3, 80-4, 80-5, 80-6) collecting the gas on the outlet side of the first compression stage and feeding the internal passages in parallel.
- 3. (currently amended) The centrifugal compressor unit as claimed inof claim 2, characterized in that wherein the internal passages (80-1, 80-2) for feeding the motor means are fed in parallel with the internal passages (80-3, 80-4, 80-5, 80-6) for feeding the bearings with cooling gas.
- (currently amended) The centrifugal compressor unit as claimed in any one of claims 1-to
  3, characterized in that wherein the cooling means are equipped with filtering means (82)
  for filtering the gas handled by the compressor.
- 5. (currently amended) The centrifugal compressor unit as claimed in any one of claims 1-to 4, characterized in that wherein, with the driven shaft of the compressor supported by two end radial bearings-(64, 66), the cooling means comprise an axial passage (104) running from one bearing to the other and fed at one of its ends by the external lines, and wherein the said-axial passage globally running longitudinally and radially externally through the compressor.

Inventors: Laboube et al. Intl. Appl. No.: PCT/FR03/0011063

Atty. Dkt. No.: 5310-08800

6. (currently amended) The centrifugal compressor unit as claimed in any one of claims 1-to 5, characterized in that wherein the internal passages for feeding the bearings comprise a set of directional passages (94) directed radially externally in the compressor, and wherein each internal passage feeds feeding one bearing.

- 7. (currently amended) The centrifugal compressor unit as claimed in any one of claims 1-to 6, characterized in that wherein the motor is fed with cooling gas via an orifice (92) formed in an end cover (90) and in communication with an external line.
- 8. (currently amended) The centrifugal compressor unit as claimed in claim 7 dependent on elaim 6, of claim 1, wherein the internal passages for feeding the bearings comprise a set of directional passages directed radially externally in the compressor, and wherein each internal passage feeds one bearing, and wherein the motor is fed with cooling gas via an orifice formed in an end cover and in communication with an external line, and wherein characterized in that the flow of cooling gas is mixed with the flow of cooling gas leaving the bearings cooled by the gas coming from the internal passages.
- 9. (currently amended) The centrifugal compressor unit as claimed in any one of claims 1-to 8, characterized in that it further comprising comprises means (105) for regulating the a refrigeration flow rate for the motor on the one hand and for each bearing on the other.
- 10. (currently amended) The centrifugal compressor unit as claimed in any one of claims 1-to 9, characterized in that it further comprising comprises means (108) for collecting flows of cooling gas from members situated on the a same side as an equalizing piston-(107).

Inventors: Laboube et al. Intl. Appl. No.: PCT/FR03/0011063

Atty. Dkt. No.: 5310-08800

11. (new) The centrifugal compressor unit of claim 2, wherein the cooling means are equipped with filtering means for filtering the gas handled by the compressor.

- 12. (new) The centrifugal compressor unit of claim 11, wherein, with the driven shaft of the compressor supported by two end radial bearings, the cooling means comprise an axial passage running from one bearing to the other and fed at one of its ends by the external lines, and wherein the axial passage globally running longitudinally and radially externally through the compressor.
- 13. (new) The centrifugal compressor unit of claim 12, wherein the internal passages for feeding the bearings comprise a set of directional passages directed radially externally in the compressor, and wherein each internal passage feeds one bearing.
- 14. (new) The centrifugal compressor unit of claim 13, wherein the motor is fed with cooling gas via an orifice formed in an end cover and in communication with an external line.
- 15. (new) The centrifugal compressor unit of claim 14, wherein the flow of cooling gas is mixed with the flow of cooling gas leaving the bearings cooled by the gas coming from the internal passages.
- 16. (new) The centrifugal compressor unit of claim 17, further comprising means for regulating a refrigeration flow rate for the motor and for each bearing.
- 17. (new) The centrifugal compressor unit of claim 18, further comprising means for collecting flows of cooling gas from members situated on a same side as an equalizing piston.